

## AP-2: AquaPro Water Quality Tester (EC)



visit us at  
[bsktec.com](http://bsktec.com)

HM Digital introduces its new AquaPro series, a line of handheld TDS/EC meters with a sleek design that's perfect for today's modern kitchen. The AquaPro digital water testers are the next generation for today's tech-savvy and health-conscience consumer.

## FEATURES

Measures electrical conductivity (EC) and temperature.

Automatic Temperature Compensation (ATC)

Water-resistant housing

Measurement Range: 0-9999  $\mu\text{S}$

Digital Calibration (push button)

Auto-off function, data-hold function and low-battery indicator.

Display: large and easy-to-read LCD screen includes simultaneous temperature reading.

[Factory Calibrated](#): The AquaPro is calibrated with a 700 $\mu\text{S}$  solution. The meter can be recalibrated with digital calibration using the push buttons, rather than a screwdriver.

Includes a cap and batteries.

Includes a storage case.

Magnetic body (patent pending)

Need help deciding which meter is right for you? View our [TDS/EC Meter Selection Guide](#).

## SPECIFICATIONS

**EC Range:** 0-9999  $\mu\text{S}$  ( $\mu\text{S}/\text{cm}$ )

**Temperature Range:** 0-80 °C; 32-176 °F

**Resolution:** 1  $\mu\text{S}$ ; Temp. resolution is 0.1 °C/F

**Accuracy:** +/- 2%

**Calibration:** Digital calibration by push button.

**Housing:** Water-resistant

**Power source:** 1 x 3V button cell (included) (model CR2032)

**Dimensions:** 15 x 2.8 x 1.3 cm (5.9 x 1.1 x .5 inches)

**Weight:** 42.5 g (1.5 oz)

**To convert  $\mu\text{S}$  (micro-Siemens) to mS (milli-Siemens): divide by 1000.**

**1000  $\mu\text{S}$  = 1 mS**

**EC = Electrical Conductivity**