

HI 98120

ORP/Temperature Tester with ORP Range up to ± 1000 mV



This new microprocessor-driven tester provides the most advanced solution in ORP measurement:

- replenishable junction
- dual-level LCD
- battery life percentage indication
- stability indicator
- floating and waterproof body

This tester is factory calibrated and measurements are highly accurate.

The HI 73120 ORP electrode is provided with a pull-out cloth junction and is easily replaced by the user. The encapsulated stainless steel temperature sensor exhibits a fast response as a result of its external location.

All these features ensure a long life to these HANNA® pocket meters!

Order Information:

HI 98120 is supplied with protective cap, electrode removal tool, batteries and instructions.

Range	mV	± 1000 mV
Range	Temperature	-5.0 to 60.0°C / 23.0 to 140.0°F
Resolution	mV	1 mV
Resolution	Temperature	0.1°C / 0.1°F
Accuracy	mV	± 2 mV
Accuracy	Temperature	± 0.5 °C / ± 1 °F
Calibration		factory calibrated
ORP Electrode		HI 73120 (included)
Battery Type / Life		4 x 1.5V with BEPS / approx. 300 hours of continuous use; auto-off after 8 minutes of non-use
Environment		-5 to 50°C (23 to 122°F); RH max 100%
Dimensions		163 x 40 x 26 mm (6.4 x 1.6 x 1.0")
Weight		100 g (3.5 oz.)